



Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

Customer: \_\_\_\_\_



**SD16**  
**200w Max**  
**Medium Base**

**Weight:** 3.0 lbs  
**EPA:** 0.76

**Specifications**

**Material:**  
RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

**Glass:**  
Choice of clear, frosted or prismatic glass.

**Electrical:**  
Medium Base Socket, 200w Maximum or GU24 Socket.  
Approximately 12" of pull wire extends from fixture. Additional pull wire provided for post mount arms and wall mounts.

**Certifications:**  
Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

**Finish:**  
A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

**Modifications:**  
Consult factory for custom or modified designs.

Catalog Logic **SD16** - **MB** - **E6** - **100GLCL** - **CBC** - **72**

RLM Style      Light Source      Mounting Source      Glass & Guards      Accessories      Finish

| Catalog Number | 1           | 2 | 3 | 4 | 5 |
|----------------|-------------|---|---|---|---|
|                | <b>SD16</b> |   |   |   |   |

| 1 LIGHT SOURCE & WATTAGES  |   |
|--|---|
| <b>GU24</b> (GU24 Socket)  |   |
| <b>MB</b> (Medium Base Socket, 200w Max)   |   |
| 2 MOUNTING SOURCES*  |   |
| Arm Mounts (Cast back plate included)  |   |
| <b>E3 E4 E6 E8 E9 E10 E11 E12 E15 E18 E24 E25</b>  | Wall Mounts   |
| <b>WM35 WM41 WM55 WM318</b>  | Post Mounts   |
| <b>PM10 PM20 PM30 PM40 PM50 PM319</b>  | Cord Mounts**<br>(Includes 1" x 5 3/8" canopy)<br>(See page 3 for color cord style) |
| <b>SJT Cord</b>  |   |
| <b>BLC</b> (6' Black SJT Cord)   | <b>WHC</b> (6' White SJT Cord)  |
| <b>Solid Fabric Colored Cords</b>  |   |
| <b>BLSF</b> (6' Black)   | <b>ORSF</b> (6' Orange)   |
| <b>GYSF</b> (6' Gray)  | <b>LGSF</b> (6' Lime Green)   |
| <b>CHSF</b> (6' Chocolate Brown)   | <b>KGSF</b> (6' Kelly Green)  |
| <b>WHSF</b> (6' White)   | <b>CBSF</b> (6' Cobalt Blue)  |
| <b>CASF</b> (6' Cardinal)  | <b>SBSF</b> (6' Sky Blue)   |
| <b>Patterned Fabric Colored Cords</b>  |   |
| <b>BWHPF</b> (6' Black/White Houndstooth)  | <b>BIHPF</b> (6' Brown/Ivory Houndstooth)   |
| <b>GYCPF</b> (6' Gray/Citrus Yellow)   | <b>MOSPF</b> (6' Magenta/Orange Stripe)   |
| <b>NMTPF</b> (6' Navy Mini Tweed)  |   |
| <b>Glossy Fabric Colored Cords</b>   |   |
| <b>GMGF</b> (6' Gun Metal)   | <b>SSGF</b> (6' Sterling Silver)  |
| <b>CPGF</b> (6' Copper Penny)  | <b>BRGF</b> (6' Bronze)   |
| <b>GOGF</b> (6' Gold)  |   |
| <b>Cable Mounts**</b><br>(Includes 1" x 5 3/8" canopy)   |   |
| <b>SSC-BLC</b> (Stainless steel cable with 6' Black SJT Cord)  |   |
| <b>SSC-WHC</b> (Stainless steel cable with 6' White SJT Cord)  |   |
| <b>SSC-XXXX</b> (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above) |   |
| <b>**Cord/Cable Canopy finish will match fixture finish.</b>   |   |
| <b>Stem Mounts</b><br>(Includes STC Flat Canopy)   |   |
| 1/2" (13/16" OD) Rigid   | 3/4" (1" OD) Rigid Stems  |
| <b>2ST6 2ST12 2ST18</b>  | <b>3ST6 3ST12 3ST18</b>   |
| <b>2ST24 2ST36 2ST48</b>   | <b>3ST24 3ST36 3ST48</b>  |
| <b>2ST60 2ST72 2ST96</b>   | <b>3ST60 3ST72 3ST96</b>  |
| <b>*Arm mount, Wall mount or Stem finish will match fixture finish.</b>                                    |   |

| 3 GLASS & GUARD*   |                                      |
|--------------------|--------------------------------------|
| Up to 100w Options |                                      |
| <b>100GLCL</b>     | (Clear Glass)                        |
| <b>100GLFR</b>     | (Frosted Glass)                      |
| <b>100GLPR</b>     | (Prismatic Glass)                    |
| <b>100GLCLGUP</b>  | (Clear Glass & Small Wire Guard)     |
| <b>100GLFRGUP</b>  | (Frosted Glass & Small Wire Guard)   |
| <b>100GLPRGUP</b>  | (Prismatic Glass & Small Wire Guard) |
| <b>100GLCLGUPC</b> | (Clear Glass & Cast Guard)           |
| <b>100GLFRGUPC</b> | (Frosted Glass & Cast Guard)         |
| <b>100GLPRGUPC</b> | (Prismatic Glass & Cast Guard)       |
| <b>100GLGUP</b>    | (Small Wire Guard with No Glass)     |
| <b>100GLGUPC</b>   | (Cast Guard with No Glass)           |
| Up to 200w Options |                                      |
| <b>200GLCL</b>     | (Clear Glass)                        |
| <b>200GLFR</b>     | (Frosted Glass)                      |
| <b>200GLPR</b>     | (Prismatic Glass)                    |
| <b>200GLCLGUP</b>  | (Clear Glass & Large Wire Guard)     |
| <b>200GLFRGUP</b>  | (Frosted Glass & Large Wire Guard)   |
| <b>200GLPRGUP</b>  | (Prismatic Glass & Large Wire Guard) |
| <b>200GLCLGUPC</b> | (Clear Glass & Large Cast Guard)     |
| <b>200GLFRGUPC</b> | (Frosted Glass & Large Cast Guard)   |
| <b>200GLPRGUPC</b> | (Prismatic Glass & Large Cast Guard) |
| <b>200GLGUP</b>    | (Large Wire Guard with No Glass)     |
| <b>200GLGUPC</b>   | (Large Cast Guard with No Glass)     |

**WARRANTY**  
See www.ANPlighting.com for complete fixture warranty

| 4 ACCESSORIES*                                      |   |
|---|---|
| <b>CBC</b>  | (Cast back plate Spun Alum Cover)*      |
| <b>PC</b>   | (Button Photo Cell) Remote Only         |
| <b>SC</b>   | (Scroll for Arms)*                      |
| <b>SLC</b>  | (Sloped Ceiling Mount Canopy, 20° Max)* |
| <b>SQ</b>   | (Square Back Plate)*                    |
| <b>SWL</b>  | (Adjustable Locking Swivel)*            |
| <b>TBK</b>  | (Turn Buckle Kit)*                      |
| <b>*Accessory finish will match fixture finish.</b> |   |

| 5 FINISHES   |                |        |                       |               |               |
|--|----------------|--------|-----------------------|---------------|---------------|
| *Marine Grade Finish has an additional charge                  |                |        |                       |               |               |
| Standard Colors  | Standard Grade | Marine | Premium Colors        | Premium Grade | Marine Grade* |
| Aspen Green  | 10             | 10M    | High Gloss Black      | 01            | 01M           |
| Cantaloupe   | 11             | 11M    | Arctic Silver         | 14            | 14M           |
| Lilac  | 12             | 12M    | Candy Apple Red       | 64            | 64M           |
| Putty  | 13             | 13M    | Cobalt Blue           | 65            | 65M           |
| Raw Unfinished   | 40             | NA     | Caramel               | 66            | 66M           |
| Black  | 41             | 41M    | Butterscotch          | 67            | 67M           |
| Forest Green   | 42             | 42M    | Black Silver          | 68            | 68M           |
| Bright Red   | 43             | 43M    | Gunmetal Gray         | 69            | 69M           |
| White  | 44             | 44M    | Mayan Gold            | 79            | NA            |
| Bright Blue  | 45             | 45M    | Textured Desert Stone | 80            | 80M           |
| Sunny Yellow   | 46             | 46M    | Extreme Chrome        | 81            | 81M           |
| Aqua Green   | 47             | 47M    | Graystone             | 82            | 82M           |
| Galvanized   | 49             | NA     | Oil Rubbed Bronze     | 83            | 83M           |
| Navy   | 50             | 50M    | Carbon Graphite       | 96            | 96M           |
| Architectural Bronze   | 51             | 51M    |                       |               |               |
| Patina Verde   | 52             | 52M    |                       |               |               |
| Copper Clay  | 53             | 53M    |                       |               |               |
| Silver   | 56             | 56M    |                       |               |               |
| Black Verde  | 61             | 61M    |                       |               |               |
| Painted Chrome   | 70             | 70M    |                       |               |               |
| Painted Copper   | 71             | 71M    |                       |               |               |
| Textured Black   | 72             | 72M    |                       |               |               |
| Matte Black  | 73             | 73M    |                       |               |               |
| Textured Architectural   | 76             | 76M    |                       |               |               |
| Textured White   | 77             | 77M    |                       |               |               |
| Textured Silver  | 78             | 78M    |                       |               |               |
| Consult Factory for additional paint charges and availability. |                |        |                       |               |               |

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

Customer: \_\_\_\_\_

**ARM MOUNTS** | Dimensions are Projection x Height | CB included with all arms



**GLASS & GUARDS**  
**UP TO 200W MAX**

Glass Legend: **CL** = Clear **FR** = Frosted **PR** = Prismatic  
**100** = Small **200** = Large

**Glass Only (9 1/4" H X 5" W)**



**200GLCL**  
**200GLFR**  
**200GLPR**

**Glass with Cast Guard (10 1/4" H X 5 1/2" W)**



**200GLCLGUPC**  
**200GLFRGUPC**  
**200GLPRGUPC**

**Glass with Wire Guard (10 1/4" H X 5" W)**



**200GLCLGUP**  
**200GLFRGUP**  
**200GLPRGUP**

**GUPC Guard Only (10 1/4" H X 5 1/2" W)**



**200GLGUPC**  
(Cast Guard)

**GUP Guard Only (10 1/4" H X 5" W)**




**200GLGUP**  
(Wire Guard)

**WALL MOUNTS** | Dimensions are Projection x Height | **POST MOUNTS** | Dimensions are Projection x Height



**ACCESSORIES**



Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

Customer: \_\_\_\_\_

All fabric Color Cords are three conductor, 1/4" diameter

**Solid Fabric Colored Cords**



**BLSF** | Black




**GYSF** | Gray



**CHSF** | Chocolate Brown



**WHSF** | White



**CASF** | Cardinal



**ORSF** | Orange



**LGSF** | Lime Green



**KGSF** | Kelly Green



**CBSF** | Cobalt Blue



**SBSF** | Sky Blue

**Patterned Fabric Colored Cords**



**BWHPF** | Black/White Houndstooth



**BIHPF** | Houndstooth



**GYCPF** | Gray/Citrus Yellow



**MOSPF** | Magenta/Orange Stripe



**NMTPF** | Navy Mini Tweed

**Glossy Fabric Colored Cords**



**GMGF** | Gun Metal



**SSGF** | Sterling Silver



**CPGF** | Copper Penny



**BRGF** | Bronze



**GOGF** | Gold