Project: _____

Fixture Type: _____ Quantity: _____

Customer: _____



Specifications

Material:
Constructed of complete cast aluminum. All hardware provided shall be stainless steel. Screw hardware may not match paint.

Glass:
Choice of clear, frosted or prismatic glass. Colored glass available for extra charge.

Electrical:
Medium Base Socket, 200w Maximum or GU24 Socket.
Approximately 12" of pull wire extends from fixture. Additional pull wire provided for post mount arms and wall mounts.

Certifications:
Cord mounts are UL Listed for dry locations. Arm, wall, post, pendant and stem mounts are UL Listed for wet locations.

Finish:
A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:
Consult factory for custom or modified designs.

VTP200GL
200W Max
Medium Base

Weight: 3 lbs

Catalog Logic

VTP200GL - CL - MB - GUP200 - VTSA200 - PC - 72

- VTP200GL: Vapor Tight Style
- CL: Glass
- MB: Light Source
- GUP200: Guard
- VTSA200: Shade Accessories
- PC: Accessories
- 72: Finish

Catalog Number

1	2	3	4	5	6	7
VTP200GL							

1 GLASS

Up to 200w Options	
CL	(Clear Glass)
FR	(Frosted Glass)
PR	(Prismatic Glass)
BLU	(Blue Glass)
GRN	(Green Glass)
RED	(Red Glass)

2 LIGHT SOURCE & WATTAGES

GU24	(GU24 Socket)
MB	(Medium Base Socket, 200w Max)

3 GUARD

NA	(No Guard)
GUP 200	(Wire Guard)
GUPC 200	(Cast Guard)

4 SHADE ACCESSORIES

NA	(No Accessory)
VTSA 200	(9 3/4" Angle Ring)
VTCA 200	(9 3/4" Cap with Angle Ring)
VTSB 200	(9 3/4" Step Ring)
VTCB 200	(9 3/4" Cap with Step Ring)
VTSC 200	(9 3/4" Bowl Shade)
VTCC 200	(9 3/4" Cap and Bowl Shade)

WARRANTY

See www.ANPlighting.com for complete fixture warranty.

5 MOUNTING SOURCES*

Arm Mounts (Cast back plate included)

E6 E9 E13 E22 E23 E24 E25 E26 E27 E36 E39

Wall Mounts

WM35 WM41 WM318

Post Mounts

PM10 PM20

Cord Mounts**
(Includes 1" x 5 3/8" canopy)
(See page 3 for color cord style)

SJT Cord

BLC (6' Black SJT Cord)	**WHC** (6' White SJT Cord)

Solid Fabric Colored Cords

BLSF (6' Black)	**ORSF** (6' Orange)
GYSF (6' Gray)	**LGSF** (6' Lime Green)
CHSF (6' Chocolate Brown)	**KGSF** (6' Kelly Green)
WHSF (6' White)	**CBSF** (6' Cobalt Blue)
CASF (6' Cardinal)	**SBSF** (6' Sky Blue)

Patterned Fabric Colored Cords

BWHPF (6' Black/White Houndstooth)	**BIHPF** (6' Brown/Ivory Houndstooth)
GYCPF (6' Gray/Citrus Yellow)	**MOSPF** (6' Magenta/Orange Stripe)
NMTPF (6' Navy Mini Tweed)	

Glossy Fabric Colored Cords

GMGF (6' Gun Metal)	**SSGF** (6' Sterling Silver)
CPGF (6' Copper Penny)	**BRGF** (6' Bronze)
GOGF (6' Gold)	

****Cord/Cable Canopy finish will match fixture finish.**

Pendant Mounts

2 Light Pendant 200w Vapor Tights

22PEND6 22PEND12 22PEND18 22PEND24 22PEND36
22PEND48 22PEND60 22PEND72 22PEND96

3 Light Pendant 200w Vapor Tights

32PEND6 32PEND12 32PEND18 32PEND24 32PEND36
32PEND48 32PEND60 32PEND72 32PEND96

4 Light Pendant 200w Vapor Tights

42PEND6 42PEND12 42PEND18 42PEND24 42PEND36
42PEND48 42PEND60 42PEND72 42PEND96

Stem Mounts
(Includes STC Flat Canopy)

3/4" (1" OD) Rigid Stems

3ST6 3ST12 3ST18 3ST24 3ST36 3ST48 3ST60
3ST72 3ST96

***Arm mount, Wall mount, Pendant mount or Stem finish will match fixture finish.**

6 ACCESSORIES*

CBC	(Cast back plate Spun Alum Cover)*
PC	(Button Photo Cell) Remote Only
SC	(Scroll for Arms)*
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*
SQ	(Square Back Plate)*
SWL	(Adjustable Locking Swivel)*
TBK	(Turn Buckle Kit)*

***Accessory finish will match fixture finish.**

7 FINISHES

*Marine Grade Finish has an additional charge

Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade*
Aspen Green	10	10M	High Gloss Black	01	01M
Cantaloupe	11	11M	Arctic Silver	14	14M
Lilac	12	12M	Candy Apple Red	64	64M
Putty	13	13M	Cobalt Blue	65	65M
Raw Unfinished	40	NA	Caramel	66	66M
Black	41	41M	Butterscotch	67	67M
Forest Green	42	42M	Black Silver	68	68M
Bright Red	43	43M	Gunmetal Gray	69	69M
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80M
Sunny Yellow	46	46M	Extreme Chrome	81	81M
Aqua Green	47	47M	Graystone	82	82M
Galvanized	49	NA	Oil Rubbed Bronze	83	83M
Navy	50	50M	Carbon Graphite	96	96M
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

Consult Factory for additional paint charges and availability.

08012019

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only.
ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227
ANPlighting.com

Specifications VTP200GL

Project: _____

Fixture Type: _____ Quantity: _____

Customer: _____

ARM MOUNTS | Dimensions are Projection x Height | CB included with all arms

E6 | 26 1/8" x 9 1/4"

E9 | 28" x 40 5/8"

E13 | 34" x 34 3/8"

E22 | 7 1/2" x 2"

E23 | 6" x 2" x 11 1/2"

E24 | 10" x 2"

E25 | 23" x 5 1/4"

E26 | 12 1/2" x 10 1/4"

E27 | 10" x 2"

E36 | 20 1/4" x 8"

E39 | 10 1/2" x 15 1/8"

WALL MOUNTS | Dimensions are Projection x Height

WM35 | 20 1/2" x 25"

WM41 | 10 1/2" x 14 3/4"

WM318 | 12" x 12 3/4"

POST MOUNTS | Dimensions are Projection x Height

PM10 | 14 1/2" x 25"

PM20 | 30 1/8" x 25"

PENDANT MOUNTS | xx is Height of Pendant Stem

22PENDxx | 14" w

32PENDxx | 28" w

42PENDxx | 28" x 28"

GLASS

CL (Clear)

FR (Frosted)

PR (Prismatic

BLU (Blue)

GRN (Green)

RED (Red)

GUARDS

GUPC 200



GUP 200

SHADE ACCESSORIES



VTSA 200 / 9 3/4"

VTCA 200 / 9 3/4"



VTSB 200 / 9 3/4"

VTCB 200 / 9 3/4"

VTSC 200 / 9 3/4"

VTCC 200 / 9 3/4"

ACCESSORIES

CBC

PC

SC

SLC

SQ

SWL

TBK

08012019

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only.
ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227
ANPlighting.com

Project: _____

Fixture Type: _____ Quantity: _____

Customer: _____

All fabric Color Cords are three conductor, 1/4” diameter

Solid Fabric Colored Cords

BLSF | Black

GYSF | Gray

CHSF | Chocolate Brown

WHSF | White

CASF | Cardinal



ORSF | Orange

LGSF | Lime Green

KGSF | Kelly Green

CBSF | Cobalt Blue

SBSF | Sky Blue

Patterned Fabric Colored Cords

BWHPF | Black/White Houndstooth

BIHPF | Brown/Ivory Houndstooth

GYCPF | Gray/Citrus Yellow

MOSPF | Magenta/Orange Stripe

NMTPF | Navy Mini Tweed

Glossy Fabric Colored Cords

GMGF | Gun Metal

SSGF | Sterling Silver

CPGF | Copper Penny

BRGF | Bronze

GOGF | Gold

08012019

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only.
ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227
ANPlighting.com